

Brugermanual - Owners Manual  
VIP WATERFALL Series

# Blinkenberg CPH

Design with a purpose

[www.BlinkenbergCPH.com](http://www.BlinkenbergCPH.com)

## DANSK

### *Pleje & Vedligehold*

Tillykke med dit nye malede / lakerede VIP WATERFALL møbel.

VIP WATERFALL-serien er designet til både inden- og udendørs brug. Ved udendørs brug er det vigtigt at iagttage brugs- og vedligeholdelsesanvisningerne nøje.

For at forhindre slid og opfugtning er dit møbel er monteret med fødder i rustfri stål. Vi anbefaler at påsætte selvklæbende filt-dutter ved brug indendørs.

Generel indendørs brug kræver ikke vedligehold.

Placér altid dit VIP WATERFALL møbel på en plan og fast overflade for at undgå opfugtning. Vi anbefaler at montering / demontering foregår på et blødt underlag. Dette for at undgå stød og skader på produktet under monteringen / demontering.

Træ er et levende materiale, der arbejder i takt med luftfugtighed og temperatur, og krydsfiner er limet sammen af flere lag. Den krydsfiner vi benytter er vandfast, men ved kraftig opfugtning vil det ikke kunne undgås at materialet delaminerer. Det kræver derfor omtanke og vedligehold at passe godt på sine træmøbler.

VIP WATERFALL er malet med PU kvalitetsmaling / lak.

Dit PU malede møbel må ikke stå udendørs i frost, og det bør overdækkes med det specialdesignede VIP WATERFALL regnslag eller stå overdækket. Selvom produktet er designet til at bryde overfladespændingen i vandet, bør det aftørres efter byger og regn.

Træet i dit møbel er ved levering tørret ned til det der svarer til udendørs middelluftfugtighed.

Du skal som minimum opbevare dit møbel tørt i et lukket rum, f.eks. en garage eller et kælderrum, henover vinteren, og du skal regelmæssigt kontrollere malingen / lakken og reparere eventuelle revner og sprækker med udendørs godkendt PU maling eller lak.

Selv med den bedste overfladebehandling kan der forekomme harpiks eller olieudtræk. Dette er helt naturligt. Vi anbefaler at dette fjernes med grundrens / malerrens.

Hvis du ikke passer godt på dit møbel ved at følge ovenstående simple råd, kan der blandt andet opstå sprækker i PU lakken / malingen.

Hvis dette sker, kan der trænge fugt ind under den malede overflade som kan medføre at malingen sprækker.

## ENGLISH

### *Care instructions*

Congratulations on your new painted / varnished VIP WATERFALL furniture.

The VIP WATERFALL-series is designed for both indoor and outdoor use. For outdoor use, it is important to observe the following operating and maintenance instructions carefully.

To prevent wear and tear, your furniture is fitted with stainless steel feet. We recommend applying self-adhesive felt when used indoors.

Maintenance is not needed when used only Indoors.

Always place your VIP WATERFALL furniture on a flat solid surface to prevent moisture. We recommend assembly / dismantling on a soft surface.

Wood is recognized for its durability and stability under severe climatic conditions – still, wood requires care, to maintain the painted / lacquer, and plywood is a product that is glued together by several layers. The plywood we use is waterproof, but it will delaminate if exposed to severe direct moist or wetting.

VIP WATERFALL has been painted / varnished with quality PU paint.

Your PU painted piece of furniture will deteriorate if stored outside during winter and should not be exposed to frost. It should be covered with the special designed VIP WATERFALL mackintosh or placed in a covered area.

Although designed to brake the surface tension, the furniture should be wiped dry after rain and showers. The wood used for your furniture has been dried to obtain an average moisture temperature. This condition has to be noted, when you need to store your furniture. During winter, we recommend storing the furniture in a closed dry area, for instance in a garage or a basement. Sudden change from low to high temperature will cause cracks in the paint / varnish.

We recommend that you regularly check the paint / lacquer and repair any cracks with outdoor approved PU paint or varnish.

Wood is an organic material. Natural oil will leak from inside the core and can show from assemblies in the product. This is natural and not to be mistaken with rust. To remove this we recommend using painter detergent.

If precautions are not followed, cracks in the painted surface can occur. Should this occur, moisture can penetrate the PU painted surface – and add fungus and severe cracks in the painted surface.



